



AUTOMATIC OIL DRAW -OFF DEVICE ADD DN50




The patented "Automatic Oil Draw off Device" ("ADD") marks a very important development in oil water separator skimmer technology. The ADD automatically and mechanically extracts the refined oil any ecoTECHNIC or third party separator has separated and drains it to a separate container providing pure separated oil which is 99.7 % free of water. The need for septic truck service is thereby greatly reduced providing the operator with substantial cost savings and it also provides a valuable commodity for resale - pure recycled separated oil containing only 0.3 % water.

Costly disposal of large quantities of oil and water mixtures is eliminated.


APPLICATIONS

Retrofit

The ADD DN50 is a stand-alone unit which can easily be retrofited in existing oil/water separation systems.



In combination with below ground Oil/Water Separators




ecoLine-b

The ADD can be secured directly to the separator itself or anywhere else inside the tank.

The collected oil is free of any water (99.7% pure).

For additional information about the Automatic Oil Draw-off Device, please refer to our O&M manual.




XL Panel

The ADD can be secured anywhere inside the tank.

The collected oil is free of any water (99.7% pure).

For additional information about the Automatic Oil Draw-off Device, please refer to our O&M manual.

In combination with above ground Oil/Water Separators



ecoLine-a

The ecoLine Oil/Water Separators can be ordered with the optional Automatic Oil Draw-off Device (ADD).

It mechanically removes accumulated light liquids 24/7 from the water surface and stores them in an external oil recipient or oil drum.

The collected oil is free of any water (99.7% pure).

For additional information about the Automatic Oil Draw-off Device, please refer to our O&M manual.





